L Number	Hits	Search Text	DB	Time stamp
-	2	5031223.pn.	USPAT; US-PGPUB;	2004/08/05
-	2	5287271.pn.	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/08/05
-	2	6292709.pn.	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/08/05
-	3	6239397.pn.	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/08/05
-	1	"5419440".PN.	IBM_TDB USPAT	2004/08/05 11:17
-	2	6587572.pn.	USPAT; US-PGPUB; EPO;	2004/08/05
_	2	6577749.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/08/05
_	2	6570115.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/08/05 11:29
_	8	US-4641753-\$.DID. OR US-6587572-\$.DID. OR US-4632252-\$.DID. OR US-4992649-\$.DID.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/08/05 11:29
-	4	US-5873073-\$.DID. OR US-5918220-\$.DID.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/08/05
-	88236	((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3 or similar\$5 or compar\$6) with (mail\$3 or parcel\$1 or address\$2)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/08/05
_	99530	((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3 or similar\$5 or compar\$6) near4 image\$1	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/08/05 13:55
_	1225	(((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3 or similar\$5 or compar\$6) near4 image\$1) with (mail\$3 or parcel\$1 or address\$2)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/08/05 11:56
-	847	((((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3 or similar\$5 or compar\$6) near4 image\$1) with (mail\$3 or parcel\$1 or address\$2)) and (@ad<=19980813 or @rlad<=19980813)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/08/05 11:54

-	3	<pre>((((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3 or similar\$5 or compar\$6) near4 image\$1) with (mail\$3</pre>	USPAT; US-PGPUB; EPO;	2004/08/05
		or parcel\$1 or address\$2)) with sender	DERWENT; IBM TDB	į
_	720	<pre>(((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3 or similar\$5 or compar\$6) with (mail\$3 or parcel\$1 or address\$2)) with sender</pre>	USPAT; US-PGPUB; EPO; DERWENT;	2004/08/05
_	3		IBM_TDB USPAT; US-PGPUB;	2004/08/05
	14911	((auto adj correlat\$3) or autocorrelat\$3	EPO; DERWENT; IBM_TDB USPAT;	2004/08/05
_	14311	or correlat\$3) near4 image\$1	US-PGPUB; EPO; DERWENT; IBM TDB	18:04
-	209	<pre>(((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3) near4 image\$1) with (mail\$3 or parcel\$1 or address\$2)</pre>	USPAT; US-PGPUB; EPO; DERWENT;	2004/08/05 11:54
-	160	((((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3) near4 image\$1) with (mail\$3 or parcel\$1 or	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/08/05
_	1115	address\$2)) and (@ad<=19980813 or @rlad<=19980813) (((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3 or similar\$5 or compar\$6) near4 image\$1) with (address\$2)	IBM TDB USPAT; US-PGPUB; EPO;	2004/08/05
			DERWENT; IBM_TDB	
_	11	("3651459"   "4979605"   "4992649"   "5079714"   "5422821"   "5612889"   "5703783"   "5850480"   "5910998"   "5936865"   "5984174").PN.	USPĀT	2004/08/05 12:07
_	2	5315668.pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/08/05 12:07
_	193568	(mail or letter or package or parcel or postal).ab.	USPAT; US-PGPUB; EPO; DERWENT;	2004/08/05 18:26
-	52	((mail or letter or package or parcel or postal).ab.) and ((((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3 or similar\$5 or compar\$6) near4 image\$1)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/08/05 12:10
_	2	with (address\$2))	IBM_TDB USPAT; US-PGPUB; EPO;	2004/08/05
			DERWENT; IBM TDB	
-	5	5581628.URPN.	USPAT	2004/08/05 13:27
-	2	5581628.pn.	USPAT; US-PGPUB; EPO;	2004/08/05
_	11	("4131879"   "4201978"   "4542829"	DERWENT; IBM_TDB USPAT	2004/08/05
		"4566127"   "4773098"   "5025475"   "5038392"   "5103489"   "5119433"   "5307423"   "5321470").PN.		13:30

	T		**************************************	2004/00/05
-	194	382/101.ccls.	USPAT; US-PGPUB;	2004/08/05 13:55
			EPO;	13.33
			DERWENT;	
			IBM TDB	
-	62	(((auto adj correlat\$3) or autocorrelat\$3	USPAT;	2004/08/05
		or correlat\$3 or similar\$5 or compar\$6)	US-PGPUB;	15:18
		near4 image\$1) and 382/101.ccls.	EPO;	
			DERWENT;	
		(#4021107#   #4002C40#   #5211000#	IBM_TDB USPAT	2004/08/05
_	7	("4921107"   "4992649"   "5311999"   "5538138"   "5558232"   "5770841"	USPAI	14:03
		"6169936").PN.		11.03
_	16	· - ·	USPAT;	2004/08/06
		or correlat\$3 or similar\$5 or compar\$6)	US-PGPUB;	12:35
	1	near4 image\$1) and 209/584.ccls.	EPO;	
			DERWENT;	
			IBM_TDB	0004/00/05
-	0	5581628.pn. and sender	USPAT;	2004/08/05
			US-PGPUB; EPO;	15:35
			DERWENT;	
			IBM TDB	
_	2	5581628.pn. and addressee	USPAT;	2004/08/05
		<u>*</u>	US-PGPUB;	16:30
			EPO;	
			DERWENT;	
			IBM_TDB	0004/00/05
-	1190	addresser	USPAT; US-PGPUB;	2004/08/05
			EPO;	16:32
			DERWENT;	
			IBM TDB	
_	68	((auto adj correlat\$3) or autocorrelat\$3	USPĀT;	2004/08/05
		or correlat\$3 or (cross adj correlat\$3)	US-PGPUB;	18:26
		or crosscorrelat\$3) with ((return or	EPO;	1
		sender or addresser) near2 address\$2)	DERWENT;	
	20	1 +42)	IBM_TDB	2004/08/06
_	32	<pre>(((auto adj correlat\$3) or autocorrelat\$3 or correlat\$3 or (cross adj correlat\$3)</pre>	USPAT; US-PGPUB;	14:30
		or crosscorrelat\$3) with ((return or	EPO;	14.50
		sender or addresser) near2 address\$2))	DERWENT;	
		and (@ad<=19980813 or @rlad<=19980813)	IBM TDB	
-	764		USPAT;	2004/08/05
		sender or addresser) near2 address\$2)	US-PGPUB;	18:26
			EPO;	
			DERWENT; IBM TDB	
_	108	((similar\$5 or compar\$6) with ((return or	USPAT;	2004/08/06
	100	sender or addresser) near2 address\$2))	US-PGPUB;	12:34
		and ((mail or letter or package or parcel	EPO;	
		or postal).ab.)	DERWENT;	
			IBM_TDB	
-	7969	(template or ROI or (region near2	USPAT;	2004/08/05
		interest)) near2 (match\$3 or compar\$4 or	US-PGPUB;	19:18
		correlat\$6)	EPO; DERWENT;	
			IBM TDB	
_	1	((return or sender or addresser) near2	USPAT;	2004/08/05
		address\$2) same ((template or ROI or	US-PGPUB;	19:18
		(region near2 interest)) near2 (match\$3	EPO;	
		or compar\$4 or correlat\$6))	DERWENT;	
	<b>5001</b>	//	IBM TDB	2004/09/05
-	73315	(template or ROI or region or portion) near2 (match\$3 or compar\$4 or correlat\$6)	USPAT; US-PGPUB;	2004/08/05
	1		EPO;	19.10
			DERWENT;	
			IBM TDB	
		L	<del></del>	·

_	16		USPAT; US-PGPUB;	2004/08/05 19:18
		address\$2) same ((template or ROI or region or portion) near2 (match\$3 or	EPO;	19.10
		compar\$4 or correlat\$6))	DERWENT;	
		• • • • • • • • • • • • • • • • • • • •	IBM_TDB	
-	14639	(return or sender or addresser) near2	USPAT;	2004/08/06
		address\$2	US-PGPUB; EPO;	14:28
			DERWENT;	
			IBM TDB	
_	319	209/584.ccls.	USPAT;	2004/08/06
			US-PGPUB;	12:19
			EPO; DERWENT;	
			IBM TDB	
_	2078	return\$3 near3 sender	USPAT;	2004/08/06
			US-PGPUB;	12:34
		· ·	EPO;	
			DERWENT; IBM TDB	
_	474	(return\$3 near3 sender) with (mail or	USPAT;	2004/08/06
	1/1	letter or package or parcel or postal)	US-PGPUB;	14:26
			EPO;	
			DERWENT;	
	48230	((auto adj correlat\$3) or autocorrelat\$3	IBM_TDB USPAT;	2004/08/06
-	48230	or correlat\$3 or (cross adj correlat\$3)	US-PGPUB;	12:37
		or crosscorrelat\$3 or similar\$5 or	EPO;	
		compar\$6) near4 address\$2	DERWENT;	
			IBM TDB	2004/00/06
-	33	(return\$3 near3 sender) same (((auto adj correlat\$3) or autocorrelat\$3 or	USPAT; US-PGPUB;	2004/08/06
		correlat\$3 or (cross adj correlat\$3) or	EPO;	14.20
		crosscorrelat\$3 or similar\$5 or compar\$6)	DERWENT;	
		near4 address\$2)	IBM_TDB	
-	13408	1 ' '	USPAT;	2004/08/06
		postal) not (e-mail or (e adj mail) or   (electronic adj mail))) with address\$2	US-PGPUB; EPO;	14:28
		(electronic adj marr/) with addressyz	DERWENT;	
			IBM TDB	
-	1221		USPAT;	2004/08/06
		postal) not (e-mail or (e adj mail) or	US-PGPUB;	14:27
		<pre>(electronic adj mail))) with address\$2) with (return\$3 or sender or addresser)</pre>	EPO; DERWENT;	
		with (letains of behavior of addressel)	IBM TDB	
-	17319	(return\$3 or sender or addresser) near2	USPAT;	2004/08/06
		address\$2	US-PGPUB;	14:28
			EPO; DERWENT;	
			IBM TDB	
-	814		USPĀT;	2004/08/06
		postal) not (e-mail or (e adj mail) or	US-PGPUB;	14:28
		<pre>(electronic adj mail))) with ((return\$3 or sender or addresser) near2 address\$2)</pre>	EPO; DERWENT;	
		or sender or addresser, hears address55)	IBM TDB	
_	95	(((mail or letter or package or parcel or	USPAT;	2004/08/06
		postal) not (e-mail or (e adj mail) or	US-PGPUB;	14:34
		(electronic adj mail))) with ((return\$3	EPO;	
,		or sender or addresser) near2 address\$2)) same (classific\$5 or classify\$3 or	DERWENT; IBM TDB	
		categor\$7 or sort\$3)	12.1128	
1 -	38	((((mail or letter or package or parcel	USPAT;	2004/08/06
		or postal) not (e-mail or (e adj mail) or	US-PGPUB;	14:40
		<pre>(electronic adj mail))) with ((return\$3 or sender or addresser) near2 address\$2))</pre>	EPO; DERWENT;	
		or sender or addresser) hearz address\$2)    same (classific\$5 or classify\$3 or	IBM TDB	
		categor\$7 or sort\$3)) and (@ad<=19980813		
		or @rlad<=19980813)		

-	24	<pre>(((mail or letter or package or parcel or postal) not (e-mail or (e adj mail) or (electronic adj mail))) with ((return\$3 or sender or addresser) near2 address\$2)) same (classific\$5 or classify\$3 or</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/06 14:39
-	97	categor\$7) image near2 ((return or sender or addresser) near2 address\$2)	USPAT; US-PGPUB; EPO;	2004/08/06 14:39
_	36	(image near2 ((return or sender or addresser) near2 address\$2)) and (@ad<=19980813)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/08/06 14:40
			DERWENT; IBM_TDB	

C> Access the

🕥 Access iiw

A Print Format

IEEE Mensber Digital Library

HEER Enterprise

File Cabinet



ieee home | Search ieee | Shop | Web account | Contact ieee Publications/Services Standards Conferences Membership IEEE Xplore\* 1 Million Documents Welcome 1 Million Users United States Patent and Trademark Office » Search Results IEEE Peer Review Quick Links Terms Your search matched 11 of 1058483 documents. O~ Home A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in - What Can Descending order. I Access? ( ) Low-out **Refine This Search:** You may refine your search by editing the current search expression or entering a new one in the text box. Journals Search ((return <or> sender <or> addresser) <near/2> addre & Magazines Check to search within this result set Conference Proceedings Results Key: 🦒 Standards JNL = Journal or Magazine CNF = Conference STD = Standard earch ()- By Author 1 An X86 microprocessor with multimedia extensions ○→ Basic Draper, D.A.; Crowley, M.P.; Holst, J.; Favor, G.; Schoy, A.; Ben-Meir, A.; Trull, J.; Khanna, R.; Wendell, D.; Krishna, R.; Nolan, J.; Partovi, H.; Johnson, M.; Lee, T.; 🕽 – Advanced Mallick, D.; Frydel, G.; Vuong, A.; Yu, S.; Maley, R.; Kauffmann, B.; Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th ISSCC., 1997 IEEE International, 6-8 Feb. 1997 } Joio IEEE Pages: 172 - 173, 450 - Establish IEEE Web Account

[PDF Full-Text (872 KB)] [Abstract]

2 Fast address block location on handwritten and machine printed mailpiece images

**IEEE CNF** 

Wolf, M.; Niemann, H.; Schmidt, W.;

Document Analysis and Recognition, 1997., Proceedings of the Fourth International Conference on , Volume: 2 , 18-20 Aug. 1997

Pages:753 - 757 vol.2

[PDF Full-Text (952 KB)] **IEEE CNF** 

3 Microarchitecture support for reducing branch penalty in a superscaler

Sakamoto, M.; Nunomura, Y.; Yoshida, T.; Shimazu, Y.; Computer Design: VLSI in Computers and Processors, 1996. ICCD '96.

Proceedings., 1996 IEEE International Conference on , 7-9 Oct. 1996 Pages: 208 - 216

[PDF Full-Text (776 KB)] **IEEE CNF** [Abstract]

4 Branch prediction and simultaneous multithreading

Hily, S.; Seznec, A.;

Parallel Architectures and Compilation Techniques, 1996., Proceedings of the 1996 Conference on , 20-23 Oct. 1996

Pages: 169 - 173

### [Abstract] [PDF Full-Text (556 KB)] IEEE CNF

# 5 The effects of mispredicted-path execution on branch prediction structures

Jourdan, S.; Tse-Hao Hsing; Stark, J.; Patt, Y.N.;
Parallel Architectures and Compilation Techniques, 1996., Proceedings of the 1996
Conference on , 20-23 Oct. 1996
Pages: 58 - 67

[Abstract] [PDF Full-Text (964 KB)] IEEE CNF

# 6 Improving prediction for procedure returns with return-address-stack repair mechanisms

Skadron, K.; Ahuja, P.S.; Martonosi, M.; Clark, D.W.; Microarchitecture, 1998. MICRO-31. Proceedings. 31st Annual ACM/IEEE International Symposium on , 30 Nov.-2 Dec. 1998 Pages:259 - 271

[Abstract] [PDF Full-Text (152 KB)] IEEE CNF

### 7 Low cost complexity of a general multicast network

Al-Hajery, M.Z.; Batcher, K.E.;
Parallel Processing Symposium, 1994. Proceedings., Eighth International, 26-29
April 1994
Pages: 23 - 29

[Abstract] [PDF Full-Text (592 KB)] IEEE CNF

## 8 Spectral theory of a semi-infinite transmission line over a ground plane

Daniele, V.; Gilli, M.; Pignari, S.;

Electromagnetic Compatibility, IEEE Transactions on , Volume: 38 , Issue: 3 , Aug. 1996

Pages:230 - 236

[Abstract] [PDF Full-Text (708 KB)] IEEE JNL

### 9 Support for multiway communications in ATM networks

Venkateswarau, R.; Raghavendra, C.S.; Chen, X.; Kumar, V.P.; ATM Workshop Proceedings, 1998 IEEE, 26-29 May 1998 Pages: 339 - 348

[Abstract] [PDF Full-Text (916 KB)] IEEE CNF

## 10 New aspects of airborne MTI

Klemm, R.; Ender, J.; Radar Conference, 1990., Record of the IEEE 1990 International, 7-10 May 1990 Pages:335 - 340

[Abstract] [PDF Full-Text (456 KB)] IEEE CNF

## 11 Autonomous interpretation of side scan sonar returns

Castellano, A.R.; Gray, B.C.; Autonomous Underwater Vehicle Technology, 1990. AUV '90., Proceedings of the (1990) Symposium on , 5-6 June 1990 Pages: 248 - 253

[Abstract] [PDF Full-Text (392 KB)] IEEE CNF

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Sack to Tep

Copyright © 2004 IEEE — All rights reserved